

CLAIMS:

- (Amended) A cancer metastasis inhibitor, comprising:
 a compound inhibiting a function of connexin 26,
 the compound being an aliphatic amide having oxirane
 having substituents in cis configuration.
- 2. (Cancelled)
- 3. (Amended) The cancer metastasis inhibitor according to claim 1, wherein the aliphatic amide is a biogenic fatty acid.
- 4. (Cancelled)
- 5. (Amended) The cancer metastasis inhibitor according to claim 1 or 3, wherein the aliphatic amide is a primary amide.
- 6. (Cancelled)
- 7. (Amended) The cancer metastasis inhibitor according to any one of claims 1, 3, or 5, represented by General Formula (1):





where R is a hydrogen atom or a hydrocarbon group; X is one of hydrogen atom, a methansulfonyl group, an ethansulfonyl group, an acetyl group, a trifluoroacetyl group, a hydroxyl group, an alkoxy group and an amino group; m is an integer of from 4 to 10; and n is an integer of from 4 to 7.

- 8. (Amended) The cancer metastasis inhibitor according to any one of claims 1, 3, 5, or 7, wherein a level of gap junction cell-to-cell communication (GJIC) against connexin 26 is four or smaller.
- 9. (Amended) The cancer metastasis inhibitor according to any one of claims 1, 3, 5, 7, or 8, inhibiting no function of connexin 43.
- 10. The cancer metastasis inhibitor according to clam 9, wherein a level of gap junction cell-to-cell communication (GJIC) against connexin 43 is six or greater.
- 11. (Amended) A connexin 26 inhibitor, being a compound inhibiting a function of connexin 26, and having an aliphatic amide having oxirane having substituents in cis configuration.

12. (Cancelled)



7

- 13. A connexin 26 inhibitor, being a compound inhibiting a function of connexin 26 and comprising an unsaturated fatty acid amide having a double bond with cis structure.
- 14. (Amended) Cancer metastasis inhibitor according to any one of claims 1, 3, or 7, wherein the oxirane is located between the carbons in positions 9 and 10, counted from the terminal amide carbonyl carbon or terminal amide carbonyl group of the aliphatic amide of the fatty acid.
- 15. Cancer metastasis inhibitor according to claim 7, represented by General Formula (1): where R is a hydrogen atom, m and n are 7.

